

CERTIFICATE OF COMPLIANCE

Certificate Number MH20845
Report Reference MH20845-20030522
Issue Date 2023-SEPTEMBER-28

Issued to: POWER-SONIC CORP
365 CABELA DRIVE SUITE 300 RENO, NV 89439 UNITED STATES

This certificate confirms that representative samples of Batteries, Standby - Component
See Addendum Page for Models

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL1989 - Standard for Standby Batteries.
Additional Information: See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product. |

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MH20845
Report Reference MH20845-20030522
Issue Date 2023-SEPTEMBER-28

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Batteries, sealed cell lead-acid, Models - B206, PG12V103FR, PG12V120FR, PG12V140FR, PG12V150FR, PG12V200FR, PG12V28FR, PG12V42FR, PG12V55FR, PG12V65FR, PG12V75FR, PG12V75TFR, PG12V92FR, PG-6V210FR, PS-1208, PS-12100, PS-121000U, PS-121100B, PS-1212, PS-12120F2, PS-121400B, PS-12140PBR, PS-12180F2, PS-12180NB, PS-1220, PS-1221, PS-1221-S, PS-12260NB, PS-1227, PS-1228, PS-12280NB, PS-1230, PS-12330, PS-12330NB, PS-12350, PS-1238, PS-12400, PS-12400NB, PS-1250F1, PS-1250F2, PS-12550U, PS-1270F1, PS-1270F2, PS-1270PBR, PS-1272 F1, PS-1272 F2, PS-12750U, PS-1282, PS-1290, PS-1290F2, PS-1290F2, PS-1290H, PS-4100, PS-445, PS-490, PS-610, PS-6100F1, PS-6100F2, PS-612, PS-6120FP, PS-6120TH, PS-6120TS, PS-6200, PS-62000B, PS-625, PS-628, PS-630, PS-632, PS-6360F2, PS-6360NB, PS-640F1, PS-650L, PS-650LS, PS-6580, PS-665P, PS-682F1, PS-832, PSG-450, PSG-480, PSG-625, PSG-650, PSG-680, PSH-12100, PSH-12100F2, PSH-12180, PSH-1255F2, PSH-1280F2, PSH-655, PSH-655, SA-12100, SA-24100, SA-6100.

Sealed cell, lead acid batteries with pressure release vents, Models - 10OPzV1000@, 12OPzV1200@, 12OPzV1500@, 16OPzV2000@, 20OPzV2500@, 24OPzV3000@, 40PzV200@, 50PzV250@, 50PzV350@, 60PzV300@, 60PzV420@, 60PzV600@, 70PzV490@, 80PzV800@, DCG12-100, DCG12-15, DCG12-26, DCG12-31, DCG12-38, DCG12-50, DCG12-70, EEJP600-501, ELB 06042, ELB 06042-R6, ELB 0607, ELB 0607-R6, ELB 0610, ELB 0612A, ELB 0614, ELB 1207A, ELB 1228, ELB12100, ELB1250, ELB1255, OE-12260, PDC-12140F2, PDC-12200B, PDC-12260NB, PDC-12350NB, PG 12V 45B, PG-12V100@, PG-12V100V0@, PG-12V110@, PG-12V110V0@, PG-12V130@, PG-12V130V0@, PG-12V14@, PG-12V14F2-FR@, PG-12V14-FR@, PG-12V14V0@, PG-12V150@, PG-12V150V0@, PG-12V160@, PG-12V160V0@, PG-12V21@, PG-12V21B@, PG-12V21B-FR@, PG-12V21V0@, PG-12V220@, PG-12V220V0@, PG-12V28@, PG-12V28V0@, PG12V35 FR, PG-12V42@, PG-12V42V0@, PG-12V45@, PG-12V45V0@, PG-12V5.4@, PG-12V5.4V0@, PG-12V6@, PG-12V60@, PG-12V60V0@, PG-12V65@, PG-12V65V0@, PG-12V6V0@, PG-12V7.6@, PG-12V7.6V0@, PG-12V80@, PG-12V80V0@, PG-12V9@, PG-12V9V0@, PG-2V110@, PG-2V110V0@, PG2V160@, PG2V160V0@, PG2V215@, PG2V215V0@, PG2V270@, PG2V270V0@, PG-2V325@, PG-2V325V0@, PG-2V375@, PG-2V375V0@, PG-2V430@, PG-2V430V0@, PG-2V540@, PG-2V540V0@, PG-6V160@, PG-6V160V0@, PGFT-12V110@, PGFT-12V110V0@, PGFT-12V125@, PGFT-12V125V0@, PGFT-12V160@, PGFT-12V160V0@, PGFT-12V180@, PGFT-12V180V0@, PHR-12100, PHR-12150, PHR-12200, PHR-12300, PHR-12350, PHR-1236, PHR-12400, PHR-12500, PHR-12550, PHR-1290, PS-1208V0@, PS-121000@, PS-121000V0@, PS-12100H@, PS-12100HV0@, PS-121100@, PS-121100V0@, PS-12120@, PS-12120F1@, PS-12120F1-FR@, PS-12120S@, PS-12120SV0@, PS-12120V0@, PS-1212V0@, PS-12140 F2, PS-12140@, PS121400@, PS121400V0@, PS-12140V0@, PS-12170@, PS-12170B-FR@, PS-12170V0@, PS-12180@, PS-12180HDM5, PS-12180S@, PS-12180SV0@, PS-12180V0@, PS-12200@, PS-12200HD-M6, PS-12200V0@, PS-1221F1-FR@, PS-1221-FR@, PS-1221V0@, PS-122500B, PS-12260@, PS-12260B-FR@, PS12260V0@, PS-1227V0@, PS-12280@, PS-12280V0@, PS-1228V0@, PS-1230@

@ - ML models may be followed by numbers and/or letters

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MH20845
Report Reference MH20845-20030522
Issue Date 2023-SEPTEMBER-28

Sealed cell, lead acid batteries with pressure release vents, Models - PS-1230F1-FR@, PS-1230-FR@, PS-1230V0@, PS-12350B, PS-12350NB, PS-12350V0@, PS-12380@, PS-12380B-FR@, PS-12380V0@, PS-12400V0@, PS-1242@, PS-1242V0@, PS12450@, PS12450V0@, PS12550@, PS12550V0@, PS-12650@, PS-12650B-FR@, PS-12650V0@, PS-1270@, PS-12700@, PS-12700V0@, PS-1270F1-FR@, PS-1270S@, PS-1270SV0@, PS-1270V0@, PS-12750@, PS-12750V0@, PS-1278HD-F2, PS-1290V0@, PS-435ST@, PS-435STV0@, PS-445V0@, PS-490V0@, PS-605@, PS-605V0@, PS-6100@, PS-6100V0@, PS-610V0@, PS-612@, PS-6120@, PS-6120FPV0@, PS-6120V0@, PS-612ST@, PS-612STV0@, PS-612V0@, PS-6200V0@, PS-628ST@, PS-628STV0@, PS-630ST@, PS-630STV0@, PS-640 FP, PS-640@, PS-640V0@, PS-640VO, PS-670@, PS-670F1-FR@, PS-670-FR@, PS-670V0@, PS-682@, PS-682V0@, PS-832V0@, PSGL121100@, PSGL121100V0@, PSGL121350@, PSGL121350V0@, PSGL12170@, PSGL12170V0@, PSGL122000@, PSGL122000V0@, PSGL12260@, PSGL12260V0@, PSGL12300@, PSGL12300V0@, PSGL12380@, PSGL12380V0@, PSGL12450@, PSGL12500@, PSGL12500V0@, PSGL12600@, PSGL12600V0@, PSGL12700@, PSGL12700V0@, PSGL12850@, PSGL12850V0@, PSGL12960@, PSGL12960V0@, PSH 12100 F2 FR, PSH 12180 F2/NB FR, PSH 1255 F2 FR, PSH 1280 F2 FR, PSH 655 FR, PSH-12200B, PSH-12200B, PS-6100 FP, PG-12V45 M6, PS-1223, PG-12V12, PG-12V12 FR, PG-2V200, PRB64, PRB67, PRB612, PRB1226, PRB1233, PRB1240, PRB1255, PRB1275, PRB12100, PG-129.0 FR, PG-12V250, RB1252, RB1270, RB1270F2, RB12120-F2, RB12180-NB.

@ - ML models may be followed by numbers and/or letters.

Sealed cell, lead acid batteries with pressure release vents:
PS-1280 F1, PG-12V45 M6 FR

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at <http://ul.com/aboutul/locations/>

